

MANLEY GAS TESTING, INC.

P.O. DRAWER 193  
OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760  
E-MAIL: MANLEYGAST@AOL.COM

CHARGE..... 99 - 1  
REC. NO. .... 0  
TEST NUMBER.. 14050

DATE SAMPLED..... 05-10-21  
DATE RUN..... 05-10-21  
EFFEC. DATE..... --

STATION NO. ... 8101020

SAMPLE NAME.... HADES 3-5H HCC4M  
RECEIVED FROM.. CHARTS LTD.  
LOCATION ..... MIDLAND TEXAS

FLOWING PRESSURE ..... 81 PSIG

FLOWING TEMPERATURE ..... 94 F

SAMPLED BY: JL

CYLINDER NO. ...

FRACTIONAL ANALYSIS  
CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	0.000	
NITROGEN.....	1.511	
CARBON DIOXIDE.....	0.193	
METHANE.....	71.924	
ETHANE.....	13.768	3.6773
PROPANE.....	7.359	2.0248
ISO-BUTANE.....	0.980	0.3203
NOR-BUTANE.....	2.291	0.7214
ISO-PENTANE.....	0.533	0.1947
NOR-PENTANE.....	0.553	0.2002
HEXANES +.....	0.888	0.3870
TOTALS .....	100.000	7.5257

'Z' FACTOR (DRY) = 0.9956  
'Z' FACTOR (WET) = 0.9952

..CALCULATED SPECIFIC GRAVITIES..

IDEAL, DRY..... 0.7922  
IDEAL, WET ..... 0.7892  
REAL, DRY ..... 0.7954  
REAL, WET ..... 0.7927

..CALCULATED GROSS HEATING VALUES..

BTU/CF - IDEAL, DRY .... 1346.7  
BTU/CF - IDEAL, WET .... 1324.0  
BTU/CF - REAL, DRY .... 1352.7  
BTU/CF - REAL, WET .... 1330.4

DISTRIBUTION AND REMARKS:

ANALYZED BY: CM

APPROVED:



MANLEY GAS TESTING, INC.

P.O. DRAWER 193  
OFFICE (432) 367-3024

FAX (432) 367-1166

ODESSA, TEXAS 79760  
E-MAIL: MANLEYGAST@AOL.COM

CHARGE..... 99 - 1  
REC. NO. .... 0  
TEST NUMBER.. 14051

DATE SAMPLED..... 05-10-21  
DATE RUN..... 05-10-21  
EFFEC. DATE..... --

STATION NO. ...

SAMPLE NAME.... HADES 3H  
RECEIVED FROM.. CHARTS LTD.  
LOCATION ..... MIDLAND TEXAS

FLOWING PRESSURE ..... 98 PSIG

FLOWING TEMPERATURE ..... 95 F

SAMPLED BY: JL

CYLINDER NO. ...

FRACTIONAL ANALYSIS  
CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	0.000	
NITROGEN.....	1.426	
CARBON DIOXIDE.....	0.209	
METHANE.....	71.381	
ETHANE.....	14.049	3.7524
PROPANE.....	7.560	2.0801
ISO-BUTANE.....	1.011	0.3305
NOR-BUTANE.....	2.369	0.7459
ISO-PENTANE.....	0.548	0.2002
NOR-PENTANE.....	0.567	0.2053
HEXANES +.....	0.880	0.3835
TOTALS .....	100.000	7.6979

'Z' FACTOR (DRY) = 0.9956  
'Z' FACTOR (WET) = 0.9952

..CALCULATED SPECIFIC GRAVITIES..

IDEAL, DRY..... 0.7972  
IDEAL, WET ..... 0.7941  
REAL, DRY ..... 0.8004  
REAL, WET ..... 0.7976

..CALCULATED GROSS HEATING VALUES..

BTU/CF - IDEAL, DRY .... 1355.5  
BTU/CF - IDEAL, WET .... 1332.7  
BTU/CF - REAL, DRY .... 1361.5  
BTU/CF - REAL, WET .... 1339.1

DISTRIBUTION AND REMARKS:

ANALYZED BY: CM

APPROVED:



**MANLEY GAS TESTING, INC.**

P.O. DRAWER 193  
OFFICE (432) 367-3024

FAX (432) 367-1166

ODESSA, TEXAS 79760  
E-MAIL: MANLEYGAST@AOL.COM

CHARGE..... 99 - 1  
REC. NO. .... 0  
TEST NUMBER.. 14052

DATE SAMPLED..... 05-10-21  
DATE RUN..... 05-10-21  
EFFEC. DATE..... --

STATION NO. ...

SAMPLE NAME.... HADES 5H  
RECEIVED FROM.. CHARTS LTD.  
LOCATION ..... MIDLAND TEXAS

FLOWING PRESSURE ..... 101 PSIG

FLOWING TEMPERATURE ..... 98 F

SAMPLED BY: JL

CYLINDER NO. ...

FRACTIONAL ANALYSIS  
CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE...	0.000	
NITROGEN.....	1.582	
CARBON DIOXIDE.....	0.176	
METHANE.....	72.611	
ETHANE.....	13.424	3.5848
PROPANE.....	7.176	1.9740
ISO-BUTANE.....	0.963	0.3146
NOR-BUTANE.....	2.247	0.7074
ISO-PENTANE.....	0.516	0.1884
NOR-PENTANE.....	0.531	0.1922
HEXANES +.....	0.774	0.3374
TOTALS .....	100.000	7.2988

'Z' FACTOR (DRY) = 0.9958  
'Z' FACTOR (WET) = 0.9954

..CALCULATED SPECIFIC GRAVITIES..

IDEAL, DRY..... 0.7842  
IDEAL, WET ..... 0.7814  
REAL, DRY ..... 0.7872  
REAL, WET ..... 0.7847

..CALCULATED GROSS HEATING VALUES..

BTU/CF - IDEAL, DRY .... 1333.6  
BTU/CF - IDEAL, WET .... 1311.1  
BTU/CF - REAL, DRY .... 1339.2  
BTU/CF - REAL, WET .... 1317.2

DISTRIBUTION AND REMARKS:

ANALYZED BY: CM

APPROVED: 