

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 22, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	2.68	36.47	0	0.6000	1,000.0000	0.34	1000.00	0.34	No
1	0	3.52	34.37	0	0.6000	1,000.0000	0.16	1000.00	0.16	No
2	0	2.70	32.54	0	0.6000	1,000.0000	0.22	1000.00	0.22	No
3	0	2.93	30.70	0	0.6000	1,000.0000	0.43	1000.00	0.43	No
4	0	2.77	27.41	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
5	0	2.72	26.73	0	0.6000	1,000.0000	0.20	1000.00	0.20	No
6	0	2.67	25.43	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
7	0	2.75	25.63	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
8	0	2.62	30.47	0	0.6000	1,000.0000	0.24	1000.00	0.24	No
9	0	2.51	38.00	0	0.6000	1,000.0000	0.44	1000.00	0.44	No
10	0	2.53	45.47	0	0.6000	1,000.0000	0.39	1000.00	0.39	No
11	0	2.56	51.21	0	0.6000	1,000.0000	0.44	1000.00	0.44	No
12	0	2.73	48.36	0	0.6000	1,000.0000	0.47	1000.00	0.47	No
13	0	2.81	45.49	0	0.6000	1,000.0000	0.41	1000.00	0.41	No
14	0	2.80	45.76	0	0.6000	1,000.0000	0.47	1000.00	0.47	No
15	0	2.83	45.62	0	0.6000	1,000.0000	0.35	1000.00	0.35	No
16	0	2.80	44.61	0	0.6000	1,000.0000	0.36	1000.00	0.36	No
17	0	2.72	44.27	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
18	0	2.76	43.47	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
19	0	2.75	41.81	0	0.6000	1,000.0000	0.35	1000.00	0.35	No
20	0	2.78	41.25	0	0.6000	1,000.0000	0.43	1000.00	0.43	No
21	0	2.72	41.02	0	0.6000	1,000.0000	0.43	1000.00	0.43	No
22	0	2.59	40.48	0	0.6000	1,000.0000	0.35	1000.00	0.35	No
23	0	2.75	40.78	0	0.6000	1,000.0000	0.31	1000.00	0.31	No
Total	8	2.73	40.18	8	0.6000		8.33		8.33	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 23, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	2.64	40.30	0	0.6000	1,000.0000	0.31	1000.00	0.31	No
1	0	2.64	40.25	0	0.6000	1,000.0000	0.27	1000.00	0.27	No
2	0	2.65	40.12	0	0.6000	1,000.0000	0.36	1000.00	0.36	No
3	0	2.56	39.71	0	0.6000	1,000.0000	0.13	1000.00	0.13	No
4	0	2.77	39.61	0	0.6000	1,000.0000	0.20	1000.00	0.20	No
5	0	2.72	39.60	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
6	0	2.55	39.50	0	0.6000	1,000.0000	0.34	1000.00	0.34	No
7	0	2.61	39.61	0	0.6000	1,000.0000	0.27	1000.00	0.27	No
8	0	2.71	40.35	0	0.6000	1,000.0000	0.32	1000.00	0.32	No
9	0	2.65	43.51	0	0.6000	1,000.0000	0.37	1000.00	0.37	No
10	1	2.72	48.35	1	0.6000	1,000.0000	0.56	1000.00	0.56	No
11	1	2.81	54.32	1	0.6000	1,000.0000	0.59	1000.00	0.59	No
12	1	2.42	64.25	1	0.6000	1,000.0000	0.78	1000.00	0.78	No
13	1	2.32	70.12	1	0.6000	1,000.0000	0.66	1000.00	0.66	No
14	1	2.36	72.97	1	0.6000	1,000.0000	1.03	1000.00	1.03	No
15	1	2.72	71.72	1	0.6000	1,000.0000	0.99	1000.00	0.99	No
16	0	2.68	60.79	0	0.6000	1,000.0000	0.41	1000.00	0.41	No
17	1	2.78	59.11	1	0.6000	1,000.0000	0.66	1000.00	0.66	No
18	0	2.70	51.21	0	0.6000	1,000.0000	0.41	1000.00	0.41	No
19	1	2.93	43.38	1	0.6000	1,000.0000	0.54	1000.00	0.54	No
20	0	2.69	39.44	0	0.6000	1,000.0000	0.50	1000.00	0.50	No
21	0	2.76	37.66	0	0.6000	1,000.0000	0.37	1000.00	0.37	No
22	0	2.72	35.70	0	0.6000	1,000.0000	0.40	1000.00	0.40	No
23	0	2.69	34.18	0	0.6000	1,000.0000	0.20	1000.00	0.20	No
Total	11	2.64	52.97	11	0.6000		10.93		10.93	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 24, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	2.67	34.24	0	0.6000	1,000.0000	0.24	1000.00	0.24	No
1	0	2.68	34.29	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
2	0	2.57	36.68	0	0.6000	1,000.0000	0.27	1000.00	0.27	No
3	0	2.67	35.62	0	0.6000	1,000.0000	0.37	1000.00	0.37	No
4	0	2.71	32.10	0	0.6000	1,000.0000	0.21	1000.00	0.21	No
5	0	2.71	30.28	0	0.6000	1,000.0000	0.36	1000.00	0.36	No
6	0	2.63	29.86	0	0.6000	1,000.0000	0.26	1000.00	0.26	No
7	0	2.92	28.26	0	0.6000	1,000.0000	0.38	1000.00	0.38	No
8	0	2.71	35.48	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
9	1	2.58	50.51	1	0.6000	1,000.0000	0.74	1000.00	0.74	No
10	1	2.58	61.39	1	0.6000	1,000.0000	0.66	1000.00	0.66	No
11	1	2.57	67.86	1	0.6000	1,000.0000	0.56	1000.00	0.56	No
12	1	2.64	71.57	1	0.6000	1,000.0000	0.69	1000.00	0.69	No
13	1	2.45	73.63	1	0.6000	1,000.0000	0.79	1000.00	0.79	No
14	0	2.18	75.98	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
15	3	2.83	75.89	3	0.6000	1,000.0000	2.87	1000.00	2.87	No
16	1	2.60	72.60	1	0.6000	1,000.0000	0.97	1000.00	0.97	No
17	1	2.62	67.34	1	0.6000	1,000.0000	0.90	1000.00	0.90	No
18	1	2.68	60.16	1	0.6000	1,000.0000	1.38	1000.00	1.38	No
19	2	3.00	53.00	2	0.6000	1,000.0000	1.51	1000.00	1.51	No
20	1	3.04	50.80	1	0.6000	1,000.0000	0.59	1000.00	0.59	No
21	1	2.78	43.93	1	0.6000	1,000.0000	0.59	1000.00	0.59	No
22	1	2.94	41.76	1	0.6000	1,000.0000	0.68	1000.00	0.68	No
23	1	2.87	39.07	1	0.6000	1,000.0000	0.69	1000.00	0.69	No
Total	17	2.73	57.82	17	0.6000		16.69		16.69	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 25, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	1	2.85	36.69	1	0.6000	1,000.0000	0.55	1000.00	0.55	No
1	0	2.96	39.70	0	0.6000	1,000.0000	0.49	1000.00	0.49	No
2	1	2.81	37.37	1	0.6000	1,000.0000	0.81	1000.00	0.81	No
3	0	3.02	36.81	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
4	0	2.89	35.99	0	0.6000	1,000.0000	0.49	1000.00	0.49	No
5	0	3.01	34.88	0	0.6000	1,000.0000	0.34	1000.00	0.34	No
6	0	2.89	33.87	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
7	1	2.67	33.21	1	0.6000	1,000.0000	1.18	1000.00	1.18	No
8	0	2.74	39.36	0	0.6000	1,000.0000	0.48	1000.00	0.48	No
9	1	3.02	48.64	1	0.6000	1,000.0000	0.79	1000.00	0.79	No
10	1	3.16	54.60	1	0.6000	1,000.0000	1.38	1000.00	1.38	No
11	0	2.83	59.90	0	0.6000	1,000.0000	0.30	1000.00	0.30	No
12	0	2.84	66.07	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
13	0	2.87	73.26	0	0.6000	1,000.0000	0.21	1000.00	0.21	No
14	0	2.67	75.50	0	0.6000	1,000.0000	0.15	1000.00	0.15	No
15	0	2.23	76.60	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
16	0	2.91	75.21	0	0.6000	1,000.0000	0.21	1000.00	0.21	No
17	1	3.47	68.35	1	0.6000	1,000.0000	0.51	1000.00	0.51	No
18	0	3.52	59.98	0	0.6000	1,000.0000	0.02	1000.00	0.02	No
19	0	2.97	50.53	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
20	0	3.25	48.45	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
21	0	3.83	50.07	0	0.6000	1,000.0000	0.06	1000.00	0.06	No
22	0	3.53	48.37	0	0.6000	1,000.0000	0.04	1000.00	0.04	No
23	0	3.62	45.76	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
Total	10	2.95	46.67	10	0.6000		9.81		9.81	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 26, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	3.83	42.69	0	0.6000	1,000.0000	0.09	1000.00	0.09	No
1	0	3.57	40.37	0	0.6000	1,000.0000	0.06	1000.00	0.06	No
2	0	3.39	38.18	0	0.6000	1,000.0000	0.17	1000.00	0.17	No
3	0	2.96	34.39	0	0.6000	1,000.0000	0.25	1000.00	0.25	No
4	0	3.69	33.77	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
5	0	3.36	30.96	0	0.6000	1,000.0000	0.14	1000.00	0.14	No
6	0	3.51	28.37	0	0.6000	1,000.0000	0.06	1000.00	0.06	No
7	0	2.94	27.27	0	0.6000	1,000.0000	0.03	1000.00	0.03	No
8	0	3.43	26.37	0	0.6000	1,000.0000	0.09	1000.00	0.09	No
9	0	3.14	26.86	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
10	1	2.95	28.62	1	0.6000	1,000.0000	1.17	1000.00	1.17	No
11	2	2.84	31.24	2	0.6000	1,000.0000	2.26	1000.00	2.26	No
12	2	2.68	33.06	2	0.6000	1,000.0000	1.65	1000.00	1.65	No
13	0	2.98	33.83	0	0.6000	1,000.0000	0.11	1000.00	0.11	No
14	0	3.19	35.62	0	0.6000	1,000.0000	0.13	1000.00	0.13	No
15	0	2.83	35.14	0	0.6000	1,000.0000	0.15	1000.00	0.15	No
16	0	3.08	37.15	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
17	0	3.32	36.56	0	0.6000	1,000.0000	0.10	1000.00	0.10	No
18	0	3.46	34.84	0	0.6000	1,000.0000	0.06	1000.00	0.06	No
19	0	3.29	34.04	0	0.6000	1,000.0000	0.05	1000.00	0.05	No
20	0	3.13	33.39	0	0.6000	1,000.0000	0.03	1000.00	0.03	No
21	0	2.68	31.93	0	0.6000	1,000.0000	0.42	1000.00	0.42	No
22	0	3.29	31.40	0	0.6000	1,000.0000	0.18	1000.00	0.18	No
23	0	4.14	31.60	0	0.6000	1,000.0000	0.05	1000.00	0.05	No
Total	8	2.93	32.11	8	0.6000		7.63		7.63	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 27, 2022

Meter #: 67421458
Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	0	3.67	31.31	0	0.6000	1,000.0000	0.05	1000.00	0.05	No
1	0	2.90	30.77	0	0.6000	1,000.0000	0.39	1000.00	0.39	No
2	0	3.10	30.19	0	0.6000	1,000.0000	0.15	1000.00	0.15	No
3	0	2.93	30.60	0	0.6000	1,000.0000	0.41	1000.00	0.41	No
4	0	3.23	29.63	0	0.6000	1,000.0000	0.14	1000.00	0.14	No
5	0	3.40	30.34	0	0.6000	1,000.0000	0.33	1000.00	0.33	No
6	0	3.11	29.08	0	0.6000	1,000.0000	0.09	1000.00	0.09	No
7	0	3.48	28.60	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
8	0	3.62	29.58	0	0.6000	1,000.0000	0.09	1000.00	0.09	No
9	0	2.76	36.07	0	0.6000	1,000.0000	0.43	1000.00	0.43	No
10	0	2.97	44.42	0	0.6000	1,000.0000	0.18	1000.00	0.18	No
11	0	2.85	60.26	0	0.6000	1,000.0000	0.13	1000.00	0.13	No
12	0	2.69	72.35	0	0.6000	1,000.0000	0.19	1000.00	0.19	No
13	0	2.57	77.53	0	0.6000	1,000.0000	0.25	1000.00	0.25	No
14	0	2.19	78.35	0	0.6000	1,000.0000	0.10	1000.00	0.10	No
15	0	2.52	75.53	0	0.6000	1,000.0000	0.22	1000.00	0.22	No
16	1	2.53	70.04	1	0.6000	1,000.0000	0.93	1000.00	0.93	No
17	0	2.26	61.92	0	0.6000	1,000.0000	0.25	1000.00	0.25	No
18	0	3.68	52.58	0	0.6000	1,000.0000	0.34	1000.00	0.34	No
19	0	3.26	46.82	0	0.6000	1,000.0000	0.05	1000.00	0.05	No
20	0	3.42	44.38	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
21	0	3.43	42.76	0	0.6000	1,000.0000	0.06	1000.00	0.06	No
22	16	4.75	49.36	16	0.6000	1,000.0000	16.45	1000.00	16.45	No
23	27	4.88	52.09	27	0.6000	1,000.0000	27.28	1000.00	27.28	No
Total	49	4.63	50.98	49	0.6000		48.65		48.65	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 28, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:	EFM	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	1 Hour								
Temp. Comp.:		Interval:									

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	28	4.85	52.55	28	0.6000	1,000.0000	27.71	1000.00	27.71	No
1	25	4.80	51.45	25	0.6000	1,000.0000	24.86	1000.00	24.86	No
2	23	4.84	49.67	23	0.6000	1,000.0000	22.51	1000.00	22.51	No
3	22	4.85	49.95	22	0.6000	1,000.0000	22.26	1000.00	22.26	No
4	10	3.43	43.25	10	0.6000	1,000.0000	10.08	1000.00	10.08	No
5	0	2.54	30.56	0	0.6000	1,000.0000	0.19	1000.00	0.19	No
6	0	2.71	27.87	0	0.6000	1,000.0000	0.16	1000.00	0.16	No
7	0	3.45	27.35	0	0.6000	1,000.0000	0.07	1000.00	0.07	No
8	1	2.70	35.68	1	0.6000	1,000.0000	0.93	1000.00	0.93	No
9	0	2.53	49.20	0	0.6000	1,000.0000	0.28	1000.00	0.28	No
10	1	2.45	55.61	1	0.6000	1,000.0000	0.51	1000.00	0.51	No
11	0	2.49	61.39	0	0.6000	1,000.0000	0.29	1000.00	0.29	No
12	0	2.51	65.64	0	0.6000	1,000.0000	0.30	1000.00	0.30	No
13	15	4.43	77.04	15	0.6000	1,000.0000	15.35	1000.00	15.35	No
14	19	4.80	82.84	19	0.6000	1,000.0000	18.76	1000.00	18.76	No
15	14	4.79	81.76	14	0.6000	1,000.0000	14.17	1000.00	14.17	No
16	11	4.69	82.66	11	0.6000	1,000.0000	11.09	1000.00	11.09	No
17	16	4.71	79.03	16	0.6000	1,000.0000	15.87	1000.00	15.87	No
18	21	4.86	72.68	21	0.6000	1,000.0000	20.92	1000.00	20.92	No
19	23	4.85	64.75	23	0.6000	1,000.0000	23.22	1000.00	23.22	No
20	22	4.85	63.64	22	0.6000	1,000.0000	22.32	1000.00	22.32	No
21	23	4.84	60.57	23	0.6000	1,000.0000	22.98	1000.00	22.98	No
22	14	4.82	55.57	14	0.6000	1,000.0000	13.69	1000.00	13.69	No
23	4	4.89	42.18	4	0.6000	1,000.0000	3.81	1000.00	3.81	No
Total	292	4.73	62.77	292	0.6000		292.32		292.32	

HOURLY GAS VOLUME STATEMENT

EOG Resources, Inc.

January 29, 2022

Meter #: 67421458

Name: HOLYFIELD 9 EAST FED COM CTB VRT FL TM

Pressure Base:	14.730 psia	Meter Status:		CO2	N2	C1	C2	C3	IC4	NC4	IC5
Temperature Base:	60.00 °F	Contract Hr.:	Midnight	0.000	0.000	100.000	0.000	0.000	0.000	0.000	0.000
Atmos Pressure:	14.730 psi	Full Wellstream:		NC5	neo	C6	C7	C8	C9	C10	
Calc Method:	AGA7	WV Technique:		0.000		0.000	0.000	0.000	0.000	0.000	
Z Method:	AGA-8 Detail (1992)	WV Method:		Ar	CO	H2	O2	He	H2O	H2S	H2S ppm
Meter Size:	3.0680 in	HV Cond:		0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Press. Comp.:		Meter Type:	EFM								
Temp. Comp.:		Interval:	1 Hour								

Hour	Pulses (Counts)	Pressure (psia)	Temp. (°F)	Raw Volume (Mcf)	Relative Density	K-Factor (pulses/ Mcf)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
0	16	4.87	43.49	16	0.6000	1,000.0000	15.58	1000.00	15.58	No
1	20	4.80	49.50	20	0.6000	1,000.0000	20.31	1000.00	20.31	No
2	15	4.77	45.46	15	0.6000	1,000.0000	14.59	1000.00	14.59	No
3	24	4.85	52.84	24	0.6000	1,000.0000	23.68	1000.00	23.68	No
4	21	4.87	55.09	21	0.6000	1,000.0000	21.24	1000.00	21.24	No
5	24	4.88	53.10	24	0.6000	1,000.0000	24.14	1000.00	24.14	No
6	21	4.85	51.27	21	0.6000	1,000.0000	21.23	1000.00	21.23	No
7	21	4.85	53.38	21	0.6000	1,000.0000	21.31	1000.00	21.31	No
8	20	4.79	60.78	20	0.6000	1,000.0000	20.18	1000.00	20.18	No
9	21	4.85	65.84	21	0.6000	1,000.0000	20.82	1000.00	20.82	No
10	21	4.82	65.53	21	0.6000	1,000.0000	20.67	1000.00	20.67	No
11	19	4.81	69.07	19	0.6000	1,000.0000	18.92	1000.00	18.92	No
12	20	4.79	72.06	20	0.6000	1,000.0000	20.41	1000.00	20.41	No
13	1	2.89	63.55	1	0.6000	1,000.0000	1.26	1000.00	1.26	No
14	0	2.92	66.74	0	0.6000	1,000.0000	0.17	1000.00	0.17	No
15	0	3.07	70.32	0	0.6000	1,000.0000	0.18	1000.00	0.18	No
16	1	3.05	70.44	1	0.6000	1,000.0000	0.52	1000.00	0.52	No
17	0	3.34	66.92	0	0.6000	1,000.0000	0.23	1000.00	0.23	No
18	0	3.31	57.86	0	0.6000	1,000.0000	0.36	1000.00	0.36	No
19	0	3.51	50.29	0	0.6000	1,000.0000	0.21	1000.00	0.21	No
20	0	3.37	45.99	0	0.6000	1,000.0000	0.35	1000.00	0.35	No
21	1	3.06	43.65	1	0.6000	1,000.0000	0.77	1000.00	0.77	No
22	0	3.38	41.70	0	0.6000	1,000.0000	0.32	1000.00	0.32	No
23	1	2.92	41.35	1	0.6000	1,000.0000	1.04	1000.00	1.04	No
Total	268	4.80	56.98	268	0.6000		268.47		268.47	